

WL7 Firewall®



WL7 Firewall

Innovation meets design

Stylish design, high-tech features and a plentiful source of ice-cold purified water.





State-of-the-art user experience

Turn, press and drink

The WL7 FW also features a large ergonomic dispensing area, an engaging screen and a unique selection dial to make dispensing water easier than ever.



Designed to satisfy the needs of the modern office, the WL7 FW dispenses up to 5 types of water: ambient, sparkling, hot, extra hot, and ice-cold.



Boasting a distinctive design, the WL7 FW features an intuitive dial and a 5" LED full color display, promoting a great user experience.



Firewall purification

Leading technology

Firewall patented and certified UV technology thoroughly purifies water all the way through to the dispensing nozzle, preventing pathogens getting into the system. Firewall safely purifies the water up to 99.9999%*, reducing the risk of viruses, cysts and bacteria.



High performance filtration

Waterlogic filters are certified by IAPMO R&T to the NSF's most stringent standards, meaning they offer the best possible filtration technology. This guarantees each drop is as good as the last.




BioCote®** protection

For added peace of mind key surfaces of the WL7 FW are integrated with BioCote® technology, a silver ion additive that inhibits the growth of odor and stain causing microbes, such as bacteria and mold, keeping the dispenser fresh and clean.

***Guaranteed free from:** 99.9999% bacteria, 99.99% viruses, 99.9% cysts.

**BioCote® silver ion technology protects surfaces from odor- and stain-causing microbes. BioCote® does not protect users or others against bacteria, viruses, germs or other disease causing organisms. This technology is not a substitute for good cleaning practices.



Neutralises cysts such as Cryptosporidium and Giardia

Kills E. Coli

Effective against Legionella




Ice Bath technology

High capacity ice-cold water

The Ice Bath* cooling system is engineered to deliver glass after glass of highly purified ice-cold water to meet the needs of the most demanding workplaces.

WL7 Firewall has a far higher dispensing capacity than average competitor products of the same category.



* Ice Bath technology allows for dispensing up to 17 litres per hour of ice-cold water below 47° F.






Dispensing area

One size fits all

The tall dispensing gap easily accommodates sports bottles and a wide variety of water vessels, while the back-lit waterfall indicator allows precise dispensing, reducing accidental spillage.



The open dispensing area offers convenient and easy side access.



Extensively tested

Reassuringly certified

For added peace of mind, Waterlogic's products are scrupulously tested and certified to the highest standards by recognised water associations worldwide.

Firewall technology is certified by IAPMO R&T to NSF/ANSI 55 Class A, NSF P231, US EPA Microbiological Guide Standard, NSF/ANSI 372 and CSA B483.1.



CE QUALITY & SAFETY GUARANTEED



* Certifications may vary depending on different models.

Extras come as standard

Additional features



Sleep mode

Programmable energy saving sleep mode significantly reduces power consumption when the unit is not in use.



Leak prevention system

In the event of a leak the water supply is automatically cut off reducing risk of slips and related incidents.



Bottles saver counter

Track the positive impact on the environment by counting 16oz plastic bottles saved.

Waterlogic International Limited and WLI Trading Limited reserve the right, in order to reflect continuous research and development, to amend or change specifications without prior notice. Waterlogic and the Waterlogic logo, Firewall and the Firewall logo are trademarks in countries where the Group operates. WLI Trading Ltd licensed to use BioCote, and BioCote logo which are registered trademarks of BioCote Ltd.



Technical specifications

Water options



Configuration options



Recommended environment




Number of users



Dimensions

Countertop	15" (W) x 17" (H) x 20.5" (D)		
Freestanding	Wide	15.75"	16.26"
	Height	50"	50"



Leading technologies





Contact us today

Waterlogic Americas
www.waterlogicsusa.com
(855) 350-5518
info@waterlogicsusa.com

3175 Bass Pro Drive,
Grapevine, TX 76051

For more information, visit www.waterlogicsusa.com